2014 Indiana Building Code

- - -

Parallel Page Amendments™

These Parallel Page Amendments™ are comprised of reformatted Indiana amendments to the 2012 International Building Code. These amendments together with the 2012 International Building Code form the 2014 Indiana Building Code.

This document has been prepared by RTM Consultants, Inc. and has been carefully reviewed by our staff. We have made every effort to faithfully replicate the text of the amendments published at 675 IAC 13-2.6. However, we make no warranty concerning the accuracy of the content. Updates, corrections and addenda will be posted at www.rtmconsultants.com/indiana-codes/.

This document has been designed for use with the 1st through 4th printings of the 2012 IBC. These reformatted pages are numbered on the bottom of each page and are designed to be inserted opposite the pages affected by each amended code section. Additionally, page numbering has been provided at the top of each page to enable the user to confirm this set is complete.

Copyright © 2014 by RTM Consultants, Inc. All rights reserved. RTM Consultants, Inc. holds the copyright as to the format and layout of these pages. This document or any portion thereof may not be reproduced in any manner whatsoever without the express written permission of the copyright holder.

PPA print date: January 12, 2015

RTM
CONSULTANTS, INC.

RTM CONSULTANTS, INC. ◆ 6640 PARKDALE PLACE, SUITE J ◆ INDIANAPOLIS, IN 46254
tel: 317-329-7700 ◆ www.rtmconsultants.com ◆ fax: 317-329-8411

This page intentionally left blank

RULE 2.6. 2014 INDIANA BUILDING CODE

675 IAC 13-2.6-1 Adoption by reference

Authority: IC 22-13-2-2; IC 22-13-2-13
Affected: IC 22-12; IC 22-13; IC 22-14; IC 22-15; IC 36-7

That certain document being titled the *International Building Code*, 2012 Edition, first printing dated May 2011, as published by the International Code Council, Inc., 4051 West Flossmoor Road, Country Club Hills, IL 60478-5795, is hereby adopted by reference as if fully set out in this rule save and except those revisions made in sections 2 through 36 of this rule. This rule is available for review and reference at the:

Legal and Code Services Section
Indiana Department of Homeland Security
Indiana Government Center South
402 West Washington Street, Room W246
Indianapolis, Indiana 46204.
(Fire Prevention and Building Safety Commission; 675 IAC 13-2.6-1; filed Aug 1, 2014, 11:12 a.m.: 20140827-IR-675130339FRA, eff Dec 1, 2014)

This page intentionally left blank

Delete **CHAPTER 1** *and insert to read as follows*:

101.1 Title Availability. This rule shall be known as the 2014 Indiana Building Code and shall be published, except incorporated documents, by the Department of Homeland Security for general distribution and use under that title. Wherever the term "this code" is used throughout this rule, it shall mean the 2014 Indiana Building Code.

101.2 Scope and Purpose. The scope and purpose of this code is to establish the minimum requirements for the following:

1. Construction, addition, alteration, erection, or assembly of any part of a Class 1 structure at the site where the structure will be used.

2. Installation of any part of the permanent heating, ventilating, air conditioning, electrical, plumbing, sanitary, emergency detection, emergency communication, or fire or explosion suppression systems for a Class 1 structure at the site where it will be used.

3. Work undertaken to alter, remodel, rehabilitate, or add to any part of a Class 1 structure.

4. Safeguarding life or property from the hazards of fire and explosion for Class 1 structures.

5. Fabrication of any part of a Class 1 industrialized building system for installation, assembly, or use at another site, except mobile structures.

6. Work undertaken to relocate any part of a Class 1 structure, except a mobile structure.

7. Assembly of a Class 1 industrialized building system that is not covered by subdivision (5), except mobile structures.

Detached one (1) and two (2) family dwellings and townhouses not more than three (3) stories high, and their accessory structures shall comply with the Indiana Residential Code, 675 IAC 14.

101.3 Appendices and Standards. Provisions in the appendices are not enforceable unless specifically adopted. The codes and standards referenced in this code shall be considered part of the requirements of this code to the prescribed extent of each such reference. Where differences occur between provisions of this code and referenced codes and standards, the provisions of this code shall apply.

Exception: Where enforcement of a code provision would violate the conditions of the listing, labeling, or manufacturer's installation instructions of the equipment or appliance, the conditions of the listing, labeling, or manufacturer's instructions shall apply.

101.4 Appeals and Interpretations. Appeals from orders issued by the Commission are governed by IC 4-21.5 and IC 22-12-7. Appeals from orders by a local unit of government are governed by IC 22-13-2-7 and local ordinance. Upon the written request of an interested person who has a dispute with a county or

(continues on next page)

(continued from previous page)

municipal government concerning a building rule, the state building commissioner may issue a written interpretation of a building law. The written interpretation as issued under IC 22-13-5 binds the interested person and the county or municipality with whom the interested person has the dispute until overruled in a proceeding under IC 4-21.5. A written interpretation of a building law binds all counties and municipalities if the state building commissioner publishes the written interpretation of the building law in the Indiana Register under IC 4-22-7-7(b).

101.5 Plans. Plans shall be submitted for Class 1 structures as required by the General Administrative Rules (675 IAC 12) and the rules for Industrialized Building Systems (675 IAC 15).

101.6 Existing Construction. For existing Class 1 structures, see the General Administrative Rules (675 IAC 12), the Indiana Fire Code (675 IAC 22), and local ordinance.

101.7 Additions and Alterations. Additions and alterations to any Class 1 structure shall conform to that required of a new structure without requiring the existing structure to comply with all the requirements of this code. Additions or alterations shall not cause an existing structure to become unsafe (see the General Administrative Rules (675 IAC 12-4)).

101.8 Alternate Materials, Methods, and Equipment. Alternate materials, methods, equipment, and design shall be as required by the General Administrative Rules (675 IAC 12-6-11) and the rules for Industrialized Building Systems (675 IAC 15).

Delete **CHAPTER 1** *(see previous pages for amendments)*

Delete **CHAPTER 1** *(see pages* ***xxxii*** *and* ***xxxiii*** *for amendments)*

Delete **CHAPTER 1** *(see pages* ***xxxii*** *and* ***xxxiii*** *for amendments)*

Delete **CHAPTER 1** *(see pages* ***xxxii*** *and* ***xxxiii*** *for amendments)*

Delete **CHAPTER 1** *(see pages* ***xxxii*** *and* ***xxxiii*** *for amendments)*

Delete **CHAPTER 1** *(see pages* ***xxxii*** *and* ***xxxiii*** *for amendments)*

Delete **CHAPTER 1** *(see pages* ***xxxii*** *and* ***xxxiii*** *for amendments)*

Delete **CHAPTER 1** *(see pages* ***xxxii*** *and* ***xxxiii*** *for amendments)*

Delete **CHAPTER 1** *(see pages* ***xxxii*** *and* ***xxxiii*** *for amendments)*

Delete **CHAPTER 1** *(see pages* ***xxxii*** *and* ***xxxiii*** *for amendments)*

CHAPTER 2 *is amended as follows:*

Delete the title and text of Section **201.3** *in its entirety and insert to read as follows:* **201.3 Terms defined in other codes.** Where terms are not defined in this code and are defined in the Indiana Fire Code (675 IAC 22), Indiana Electrical Code (675 IAC 17), Indiana Fuel Gas Code (675 IAC 25), Indiana Mechanical Code (675 IAC 18), Indiana Energy Conservation Code (675 IAC 19), or Indiana Plumbing Code (675 IAC 16), such terms shall have the meanings ascribed to them as in those codes.

Amend **SECTION 202, DEFINITIONS** *as follows*:

Amend the definition of **ACCREDITATION BODY** *to delete* "An approved" *and insert* "A".

Delete the definition of **AGRICULTURAL BUILDING** *without substitution.*

[**RTM Editorial Comment:** The ICC issued an erratum for second and later printings. Indiana did not adopt this erratum. For third and later printings, *amend the definition* **AMBULATORY CARE FACILITY** *by deleting* "persons" *and inserting* "individuals".]

Delete the text in the definition of **APPROVED** *and insert to read as follows*: **APPROVED** means acceptance by the authority having jurisdiction by one (1) of the following methods:

1. Investigation or tests conducted by nationally recognized authorities; or

2. Investigation or tests conducted by nationally recognized technical or scientific organizations; or

3. Nationally accepted principles. The investigation, tests, or principles shall establish that the method, material, equipment, design, or type of construction is safe for its intended purpose.

Delete the definition of **APPROVED AGENCY** *without substitution.*

Delete the definition of **APPROVED FABRICATOR** *without substitution.*

Add the definition of **ASME A17.1** *to read as follows:* **ASME A17.1**. See the Safety Code for Elevators, Escalators, Manlifts, and Hoists (675 IAC 21).

Add the definition of **BED AND BREAKFAST ESTABLISHMENT** *to read as follows:* **BED AND BREAKFAST ESTABLISHMENT** means an operator occupied residence that:

1. Provides sleeping accommodations to the public for a fee;

2. Has not more than fourteen (14) guest rooms;

3. Provides breakfast to its guests as part of the fee; and

4. Provides sleeping accommodations for not more than thirty (30) consecutive days to a particular guest. The term does not include hotels, motels, boarding houses, or food service establishments. The operator may reside within the establishment or on contiguous property.

Add the definition of **BUILDING CODE** *to read as follows*: See Indiana Building Code.

Delete the text in the definition of **BUILDING OFFICIAL** *and insert to read as follows*: See Code Official.

Add the definition of **CLASS 1 STRUCTURE** *to read as follows:* **CLASS 1 STRUCTURE.** See IC 22-12-1-4.

Add the definition of **CODE OFFICIAL** *to read as follows*: **CODE OFFICIAL** means the division of fire and building safety, the local building official as authorized under IC 36-7-2-9, and the local ordinance or the local fire department as authorized under IC 36-8-17-8.

Delete the text in the definition of **CONSTRUCTION DOCUMENTS** *and insert to read as follows:*
CONSTRUCTION DOCUMENTS means documents required to obtain a design release in accordance with the General Administrative Rules (675 IAC 12-6) and the rules for Industrialized Building Systems (675 IAC 15).

[**RTM Editorial Comment:** The ICC issued an erratum for second and later printings. Indiana did not adopt this erratum. For third and later printings, *amend the definition* **CUSTODIAL CARE** *by deleting* "persons receiving care" *and inserting* "occupants".]

Delete the text in the definition of **DETECTABLE WARNING** *and insert to read as follows:*
DETECTABLE WARNING means a standardized surface feature built in or applied to walking surfaces or other elements to warn of hazards on a circulation path.

Add the definition of **DIVISION OF FIRE AND BUILDING SAFETY** *to read as follows:* **DIVISION OF FIRE AND BUILDING SAFETY** means the Division of Fire and Building Safety of the Indiana Department of Homeland Security created pursuant to IC 10-19-2.

Delete the text in the definition of **DWELLING UNIT** *and insert to read as follows:* **DWELLING UNIT** means any building or portion thereof which contains living facilities, including provisions for sleeping, eating, cooking, and sanitation, as required by this code, for not more than one (1) family, or congregate resident for sixteen (16) or fewer persons.

Add the definition of **ELECTRICAL CODE** *to read as follows*: See Indiana Electrical Code.

This page intentionally left blank

Delete the text in the definition of **FACILITY** *and insert to read as follows:* **FACILITY** means all or any portion of Class I structures, site improvements, elements, and pedestrian or vehicular routes located on a site, where the Class I structure is located.

Delete the text in the definition of **FIRE AREA** *and insert to read as follows*: **FIRE AREA** means the aggregate floor area enclosed and bounded by fire walls, fire barriers, exterior walls, or fire-resistance-rated horizontal assemblies of a building.

Add the definition of **FIRE CODE** *to read as follows*: **FIRE CODE**. See the Indiana Fire Code.

Add the definition of **FIRE DEPARTMENT** *to read as follows*: **FIRE DEPARTMENT**. See CODE OFFICIAL.

Amend the definition of* **FIRE PROTECTION RATING *by deleting* "715" *and* inserting "716".

[RTM Editorial Comment: The ICC issued an erratum for second and later printings. Indiana did not adopt this erratum. For third and later printings, *amend the definition* **FIRE SEPARATION DISTANCE** *by deleting* "lot" *in the third item after* "two buildings on the" *and inserting* "property".]

[RTM Editorial Comment: This amendment was based on an erratum issued by the ICC for second and later printings. This amendment has no affect on third and later printings.]

This page intentionally left blank

Delete the definition of **HISTORIC BUILDINGS** *without substitution.*

Amend the definition of* **HURRICANE-PRONE REGIONS *in item 1 by inserting* "II" *after* "Category".

Add the definition of **ICC/ANSI A117.1** *to read as follows*: **ICC/ANSI A117.1**. See Chapter 11 of this code.

Amend the definition of **IMMEDIATELY DANGEROUS TO LIFE AND HEALTH (IDLH)** *by deleting the text in the second and third sentences without substitution.*

Add the definition of **INDIANA BUILDING CODE** *to read as follows*: **INDIANA BUILDING CODE** means the Indiana Building Code in effect in Indiana at the time of construction in accordance with 675 IAC 12-4-7.

Add the definition of **INDIANA ELECTRICAL CODE** *to read as follows*: **INDIANA ELECTRICAL CODE** means the Indiana Electrical Code (675 IAC 17) in effect in Indiana at the time of construction in accordance with 675 IAC 12-4-7.

Add the definition of **INDIANA ENERGY CONSERVATION CODE** *to read as follows:* **INDIANA ENERGY CONSERVATION CODE** means the Indiana Energy Conservation Code (675 IAC 19) in effect in Indiana at the time of construction in accordance with 675 IAC 12-4-7.

Add the definition of **INDIANA FIRE CODE** *to read as follows:* **INDIANA FIRE CODE** means the Indiana Fire Code (675 IAC 22) in effect in Indiana at the time of inspection by the authority having jurisdiction or, with respect to construction, in accordance with 675 IAC 12-4-7.

Add the definition of **INDIANA FUEL GAS CODE** *to read as follows*: **INDIANA FUEL GAS CODE** means the Indiana Fuel Gas Code (675 IAC 25) in effect in Indiana at the time of construction in accordance with 675 IAC 12-4-7.

(31) *Add the definition of* **INDIANA MECHANICAL CODE** *to read as follows*: **INDIANA MECHANICAL CODE** means the Indiana Mechanical Code (675 IAC 18) in effect in Indiana at the time of construction in accordance with 675 IAC 12-4-7.

Add the definition of **INDIANA PLUMBING CODE** *to read as follows*: **INDIANA PLUMBING CODE** means the Indiana Plumbing Code (675 IAC 16) in effect in Indiana at the time of construction in accordance with 675 IAC 12-4-7.

Add the definition of **INSPECTION AUTHORITY** *to read as follows:* **INSPECTION AUTHORITY**. See Code Official.

Delete the definition of **INSPECTION CERTIFICATE** *without substitution.*

*[**RTM Editorial Comment:** This amendment was based on an erratum issued by the ICC for second and later printings. This amendment has no affect on third and later printings.]

Add the definition of **INTERNATIONAL BUILDING CODE** *to read as follows*: **INTERNATIONAL BUILDING CODE**. See Indiana Building Code.

Add the definition of **INTERNATIONAL ENERGY CONSERVATION CODE** *to read as follows*: **INTERNATIONAL ENERGY CONSERVATION CODE**. See Indiana Energy Conservation Code.

Add the definition of **INTERNATIONAL FIRE CODE** *to read as follows:* **INTERNATIONAL FIRE CODE**. See Indiana Fire Code.

Add the definition of **INTERNATIONAL FUEL GAS CODE** *to read as follows*: **INTERNATIONAL FUEL GAS CODE**. See Indiana Fuel Gas Code.

Add the definition of **INTERNATIONAL MECHANICAL CODE** *to read as follows*: **INTERNATIONAL MECHANICAL CODE**. See Indiana Mechanical Code.

Add the definition of **INTERNATIONAL PLUMBING CODE** *to read as follows:* **INTERNATIONAL PLUMBING CODE**. See Indiana Plumbing Code.

Delete the definition of **JURISDICTION** *without substitution.*

Delete the text in the definition of **LABELED** *and insert to read as follows*: **LABELED** means equipment or materials to which has been attached a label, symbol, or other identifying mark of an organization engaged in product evaluation, that maintains periodic inspection of production of labeled equipment or materials, and by whose labeling the manufacturer indicates compliance with appropriate standards or performance in a specified manner.

Delete the text in the definition of **LISTED** *and insert to read as follows*: **LISTED** means equipment or materials included in a list published by an organization engaged in product evaluation, that maintains periodic inspection of production of listed equipment or materials, and whose listing states either that the equipment or material meets appropriate standards or has been tested and found suitable for use in a specified manner.

Amend the definition of **MASONRY** *by deleting* "accepted" *and inserting* "approved".

This page intentionally left blank

Add the definition of **NFPA 70, NATIONAL ELECTRICAL CODE** *to read as follows*: **NFPA 70 NATIONAL ELECTRICAL CODE**. See Electrical Code.

Delete the definition of **PERMIT** *without substitution.*

Amend the definition of **PLATFORM** *by inserting* "other than fixed or horizontal sliding curtains complying with Section 806 which do not exceed 20 feet in height" after "wherein there are no overhead hanging curtains,".

Add the definition of **QUALIFIED INDIVIDUAL** *to read as follows*: **QUALIFIED INDIVIDUAL** means a person who has documentation evidencing that he or she has successfully completed a course of instruction related to the equipment being installed or serviced and has provided such documentation to the Code Official upon request.

Delete the definition of **RECORD DRAWINGS** *without substitution.*

Delete the text in the definition of **REGISTERED DESIGN PROFESSIONAL** *and insert to read as follows:* **REGISTERED DESIGN PROFESSIONAL** means an architect who is registered under IC 25-4 or professional engineer who is registered under IC 25-31. If a registered design professional is not required by 675 IAC 12-6 or 675 IAC 15, then it means the owner.

Delete the definition of **REPAIR** *without substitution.*

Delete the definition of **RESIDENTIAL AIRCRAFT HANGAR** *without substitution.*

This page intentionally left blank

[**RTM Editorial Comment:** The ICC issued an erratum for second and later printings. Indiana did not adopt this erratum. For third and later printings, *amend the definition* **SPECIAL INSPECTION** *by deleting* "continuously" *after* "*special instructor* who is" *and before* "present".]

[**RTM Editorial Comment:** The ICC issued an erratum for second and later printings. Indiana did not adopt this erratum. For third and later printings, *amend the definition* **SPECIAL INSPECTION** *by deleting* "continuously" *after* "*special instructor* who is" *and before* "present".]

This page intentionally left blank

Delete the definition of **STRUCTURAL OBSERVATION** *without substitution.*

[**RTM Editorial Comment:** The ICC issued an erratum for second and later printings. Indiana did not adopt this erratum. For third and later printings, *amend the definition* **TECHNICALLY INFEASIBLE** *by inserting* "building or a" *before* "facility".]

Add the definition of **TOWNHOUSE** *to read as follows*: **TOWNHOUSE** has the meaning ascribed thereto in IC 22-12-1-5(c).

Add the definition of **TRAINED PERSONNEL** *to read as follows*: **TRAINED PERSONNEL**. See QUALIFIED INDIVIDUAL.

Delete the text in the definition of **TYPE A UNIT** *and insert to read as follows*: **TYPE A UNIT** means a dwelling unit or sleeping unit designed and constructed for accessibility by physically disabled persons in accordance with 675 IAC 13 and the provisions of American National Standard A117.1, 2009 edition, entitled "Accessible and Usable Buildings and Facilities" that are applicable to Type A units.

Delete the text in the definition of **TYPE B UNIT** *and insert to read as follows*: **TYPE B UNIT** means a dwelling unit or sleeping unit designed and constructed for accessibility by physically disabled persons in accordance with 675 IAC 13 and the provisions of American National Standard A117.1, 2009 edition, entitled "Accessible and Usable Buildings and Facilities" that are applicable to Type B units.

*Delete the text in the definition of **VEHICLE BARRIER** and insert to read as follows*: **VEHICLE BARRIER** means a component or a system of components, near open sides or walls of garage floors or ramps that acts as a restraint for vehicles.

[**RTM Editorial Comment:** The ICC issued an erratum for third and later printings. Indiana did not adopt this erratum. For third and later printings, *amend the definition* **VAPOR PERMEABLE** *as follows*:

Add "MEMBRANE" *after* "PERMEABLE".

Delete "5 perms" *and insert* "10 perms".

Delete "2.9" *and insert* "5.7".]

*[**RTM Editorial Comment:** This amendment was based on an erratum issued by the ICC for second and later printings. This amendment has no affect on third and later printings.]

Amend the definition of* **WIND-BORNE DEBRIS REGION *by deleting* "; or Hawaii" *without substitution.*

[RTM Editorial Comment: This amendment was based on an erratum issued by the ICC for second and later printings. This amendment has no affect on third and later printings.]

This page intentionally left blank

CHAPTER 3 *is amended as follows:*

Amend Section **301.1, Scope**, *by deleting* "buildings and" *and inserting* "Class 1".

Amend **SECTION 304, BUSINESS GROUP B**, *by adding* "Fire and police stations" *after* "Electronic data processing".

This page intentionally left blank

This page intentionally left blank

Amend **TABLE 307.1(1), MAXIMUM ALLOWABLE QUANTITY PER CONTROL AREA OF HAZARDOUS MATERIALS POSING A PHYSICAL HAZARD** *as follows*:

In the MATERIAL *column, after* "Cryogenics oxidizing" *and after* "Oxidizing gas", *add footnote* "r".

Add footnote "r" *after footnote* "q" *to read as follows*: I-2 occupancies shall be permitted to contain the following quantities:

1. 300 cu. Ft. or less per smoke compartment may be stored without an enclosure if associated with patient care areas. (See Section 407.5 for smoke compartment requirements.)

2. 3,000 cu. Ft. or less per room may be stored in rooms separated from adjacent spaces by smoke partitions complying with Section 710.

3. 20,000 cu. Ft. or less per room may be stored in rooms separated from adjacent spaces by 1-hour fire barriers complying with Section 707.

4. Regardless of quantities, rooms containing manifolds shall be separated from adjacent spaces by 1-hour fire barriers complying with Section 707.

5. Regardless of quantities, rooms used for liquid oxygen transfer shall be separated from adjacent spaces by 1-hour fire barriers complying with Section 707.

**Amend* USED-CLOSED SYSTEMS *column by inserting footnote* "e" *between* "10" *and footnote* "g" *in the*"Gas (cubic feet at NTP)" *column of the Pyrophoric material row.*

***Amend Section* 307.3.1, Occupancies containing explosives not classified as H-1**, *in item 2, by deleting* "Exoplosives", *and inserting* "Explosives".

*[**RTM Editorial Comment:** This part of the amendment was based on an erratum issued by the ICC for second and later printings. This part of the amendment has no affect on third and later printings.]

[RTM Editorial Comment:** This amendment was based on an erratum issued by the ICC for second and later printings. This amendment has no affect on third and later printings.]

Amend **TABLE 307.1(1), MAXIMUM ALLOWABLE QUANTITY PER CONTROL AREA OF HAZARDOUS MATERIALS POSING A PHYSICAL HAZARD** *as follows*:

In the MATERIAL *column, after* "Cryogenics oxidizing" *and after* "Oxidizing gas", *add footnote* "r".

Add footnote "r" *after footnote* "q" *to read as follows*: I-2 occupancies shall be permitted to contain the following quantities:

1. 300 cu. Ft. or less per smoke compartment may be stored without an enclosure if associated with patient care areas. (See Section 407.5 for smoke compartment requirements.)

2. 3,000 cu. Ft. or less per room may be stored in rooms separated from adjacent spaces by smoke partitions complying with Section 710.

3. 20,000 cu. Ft. or less per room may be stored in rooms separated from adjacent spaces by 1-hour fire barriers complying with Section 707.

4. Regardless of quantities, rooms containing manifolds shall be separated from adjacent spaces by 1-hour fire barriers complying with Section 707.

5. Regardless of quantities, rooms used for liquid oxygen transfer shall be separated from adjacent spaces by 1-hour fire barriers complying with Section 707.

**Amend* USED-CLOSED SYSTEMS *column by inserting footnote* "e" *between* "10" *and footnote* "g" *in the*"Gas (cubic feet at NTP)" *column of the Pyrophoric material row.*

[RTM Editorial Comment: This part of the amendment was based on an erratum issued by the ICC for second and later printings. This part of the amendment has no affect on third and later printings.]

***Amend TABLE 307.1(2), MAXIMUM ALLOWABLE QUANTITY PER CONTROL AREA OF HAZARDOUS MATERIAL POSING A HEALTH HAZARD** *by adding footnote* "e and f" *in the* "Solid pounds (cubic feet)" *column heading, under* "STORAGE".

***[RTM Editorial Comment:** This amendment was based on an erratum issued by the ICC for second and later printings. This amendment has no affect on third and later printings.]

Amend Section **308.3.1, Five or fewer persons receiving care**, *by deleting* "or with Section P2904 of the International Residential Code".

Amend Section **308.4.1, Five or fewer persons receiving care**, *by deleting the text and inserting to read as follows:* A facility such as the above with five or fewer persons receiving such care shall be classified as Group R-3.

Amend Section **310.1, Residential Group R**, *by deleting after* "Group I", "or when not regulated by the International Residential Code".

Amend Section **310.3, Residential Group R-1**, *by inserting* "Bed and Breakfast Establishments" *before* "Boarding houses (transient) with more than 10 occupants".

Amend Section **310.5, Residential Group R-3**, *by inserting after* "congregate living facilities (transient) with 10 or fewer occupants, and Bed and Breakfast Establishments", "One and two family dwellings and townhouses are regulated by the Indiana Residential Code (675 IAC 14)".

Amend Section **310.5.1, Care facilities within a dwelling**, *by deleting after* "903.3.1.3", "or with Section P2904 of the International Residential Code".

Amend Section **312.1, General**, *by deleting the text and inserting to read as follows:* Group U Occupancies shall include buildings or structures, or portions thereof, and shall be classified as follows: Private garages, carports, sheds, tanks, towers, and agricultural buildings that are Class 1 structures.

Amend Section **312.1, General**, *by deleting the text and inserting to read as follows:* Group U Occupancies shall include buildings or structures, or portions thereof, and shall be classified as follows: Private garages, carports, sheds, tanks, towers, and agricultural buildings that are Class 1 structures.

This page intentionally left blank

CHAPTER 4 *is amended as follows*:

Delete Section **402.3, Lease plan**, *without substitution.*

[**RTM Editorial Comment:** The ICC issued an erratum for second and later printings. Indiana did not adopt this erratum. For third and later printings, *amend Section* **402.1.1 Open space** *by adding a second* "parking" *after* "parking" *in the second sentence.*]

[**RTM Editorial Comment:** The ICC issued an erratum for second and later printings. Indiana did not adopt this erratum. For third and later printings, *amend Section* **402.4.1 Area and types of construction** *by deleting* "mall" *after* "open" *in the first sentence.*]

[**RTM Editorial Comment:** The ICC issued an erratum for second and later printings. Indiana did not adopt this erratum. For third and later printings, *amend Section* **402.5 Automatic sprinkler system** *by deleting* "equipped" *and inserting* "protected".]

This page intentionally left blank

This page intentionally left blank

Amend Section **403.2.3, Structural integrity of interior exit stairways and elevator hoistway enclosures**, *by deleting* "III or" *without substitution.*

Amend Section **403.3.2, Water supply to required fire pumps**, *by inserting* "In buildings over 420 feet (128,000 mm) in height", *before* "Required".

Amend Section **403.4.5, Emergency responder radio coverage**, *by deleting the text and inserting to read as follows*: When required by local ordinance, all new buildings shall have complied radio coverage for emergency responders within the building based upon the existing coverage levels of the public safety communication systems jurisdiction at the exterior of the building. This section shall not require improvement of the existing public safety communication systems.

Delete Section **403.5.5, Luminous egress path markings,** *without substitution.*

Amend Section **403.6.1, Fire service access elevator as follows**:

Delete "120 feet (36 576 mm)" *and insert* "420 feet (128 000 mm)".

Delete "two" *and insert* "one", *and delete* 'elevators' *after* 'access' *and insert* 'elevator'.

Amend Section **404.2, Use**, *by deleting the text and inserting to read as follows*: See the Indiana Fire Code (675 IAC 22).

Amend Section* **404.6, Enclosure of atriums, *to read as follows:*

Renumber the current exception as Exception 1.

Delete "1." *and insert* "1.1".

Delete "1.1" *and insert* "1.2".

Delete "1.2" *and insert* "1.3".

Amend Section **405.1, General**, *by deleting Exception 1.*

*[**RTM Editorial Comment**- This amendment was based on an erratum issued by the ICC for second and later printings. However, this amendment should have read as follows: *Add an* "s" *to Exception. Move the second sentence down to create a new paragraph. Insert the number* "1" *at the beginning of the new paragraph.* The remaining changes in this amendment are correct. This amendment has no affect on third and later printings.]

Amend Section **406.1, General**, *by adding an exception to read as follows*: **Exception**: Incidental overnight parking of commercial vehicles in S-1, S-2, F-1, F-2 and M occupancies is permitted.