2014 Indiana Building Code

- - -

Parallel Page Amendments™

These Parallel Page Amendments™ are comprised of reformatted Indiana amendments to the 2012 International Building Code. These amendments together with the 2012 International Building Code form the 2014 Indiana Building Code.

This document has been prepared by RTM Consultants, Inc. and has been carefully reviewed by our staff. We have made every effort to faithfully replicate the text of the amendments published at 675 IAC 13-2.6. However, we make no warranty concerning the accuracy of the content. Updates, corrections and addenda will be posted at www.rtmconsultants.com/indiana-codes/.

This document has been designed for use with the 1st through 4th printings of the 2012 IBC. These reformatted pages are numbered on the bottom of each page and are designed to be inserted opposite the pages affected by each amended code section. Additionally, page numbering has been provided at the top of each page to enable the user to confirm this set is complete.

Copyright © 2014 by RTM Consultants, Inc. All rights reserved. RTM Consultants, Inc. holds the copyright as to the format and layout of these pages. This document or any portion thereof may not be reproduced in any manner whatsoever without the express written permission of the copyright holder.

PPA print date: January 12, 2015

RTM
CONSULTANTS, INC.

RTM CONSULTANTS, INC. ◆ 6640 PARKDALE PLACE, SUITE J ◆ INDIANAPOLIS, IN 46254
tel: 317-329-7700 ◆ www.rtmconsultants.com ◆ fax: 317-329-8411

This page intentionally left blank

This page intentionally left blank

(continued from previous page)

municipal government concerning a building rule, the state building commissioner may issue a written interpretation of a building law. The written interpretation as issued under IC 22-13-5 binds the interested person and the county or municipality with whom the interested person has the dispute until overruled in a proceeding under IC 4-21.5. A written interpretation of a building law binds all counties and municipalities if the state building commissioner publishes the written interpretation of the building law in the Indiana Register under IC 4-22-7-7(b).

101.5 Plans. Plans shall be submitted for Class 1 structures as required by the General Administrative Rules (675 IAC 12) and the rules for Industrialized Building Systems (675 IAC 15).

101.6 Existing Construction. For existing Class 1 structures, see the General Administrative Rules (675 IAC 12), the Indiana Fire Code (675 IAC 22), and local ordinance.

101.7 Additions and Alterations. Additions and alterations to any Class 1 structure shall conform to that required of a new structure without requiring the existing structure to comply with all the requirements of this code. Additions or alterations shall not cause an existing structure to become unsafe (see the General Administrative Rules (675 IAC 12-4)).

101.8 Alternate Materials, Methods, and Equipment. Alternate materials, methods, equipment, and design shall be as required by the General Administrative Rules (675 IAC 12-6-11) and the rules for Industrialized Building Systems (675 IAC 15).

Delete **CHAPTER 1** *(see pages* ***xxxii*** *and* ***xxxiii*** *for amendments)*

Delete **CHAPTER 1** *(see pages* ***xxxii*** *and* ***xxxiii*** *for amendments)*

Delete **CHAPTER 1** *(see pages* ***xxxii*** *and* ***xxxiii*** *for amendments)*

Delete **CHAPTER 1** *(see pages* ***xxxii*** *and* ***xxxiii*** *for amendments)*

Delete **CHAPTER 1** *(see pages* ***xxxii*** *and* ***xxxiii*** *for amendments)*

[**RTM Editorial Comment:** The ICC issued an erratum for second and later printings. Indiana did not adopt this erratum. For third and later printings, *amend the definition* **AMBULATORY CARE FACILITY** *by deleting* "persons" *and inserting* "individuals".]

Delete the text in the definition of **APPROVED** *and insert to read as follows*: **APPROVED** means acceptance by the authority having jurisdiction by one (1) of the following methods:

1. Investigation or tests conducted by nationally recognized authorities; or

2. Investigation or tests conducted by nationally recognized technical or scientific organizations; or

3. Nationally accepted principles. The investigation, tests, or principles shall establish that the method, material, equipment, design, or type of construction is safe for its intended purpose.

Delete the definition of **APPROVED AGENCY** *without substitution.*

Delete the definition of **APPROVED FABRICATOR** *without substitution.*

Add the definition of **ASME A17.1** *to read as follows:* **ASME A17.1**. See the Safety Code for Elevators, Escalators, Manlifts, and Hoists (675 IAC 21).

Add the definition of **BUILDING CODE** *to read as follows*: See Indiana Building Code.

Delete the text in the definition of **BUILDING OFFICIAL** *and insert to read as follows*: See Code Official.

Add the definition of **CLASS 1 STRUCTURE** *to read as follows:* **CLASS 1 STRUCTURE.** See IC 22-12-1-4.

Delete the text in the definition of **CONSTRUCTION DOCUMENTS** *and insert to read as follows:*
CONSTRUCTION DOCUMENTS means documents required to obtain a design release in accordance with the General Administrative Rules (675 IAC 12-6) and the rules for Industrialized Building Systems (675 IAC 15).

[**RTM Editorial Comment:** The ICC issued an erratum for second and later printings. Indiana did not adopt this erratum. For third and later printings, *amend the definition* **CUSTODIAL CARE** *by deleting* "persons receiving care" *and inserting* "occupants".]

Add the definition of **DIVISION OF FIRE AND BUILDING SAFETY** *to read as follows:* **DIVISION OF FIRE AND BUILDING SAFETY** means the Division of Fire and Building Safety of the Indiana Department of Homeland Security created pursuant to IC 10-19-2.

Delete the text in the definition of **DWELLING UNIT** *and insert to read as follows:* **DWELLING UNIT** means any building or portion thereof which contains living facilities, including provisions for sleeping, eating, cooking, and sanitation, as required by this code, for not more than one (1) family, or congregate resident for sixteen (16) or fewer persons.

Add the definition of **ELECTRICAL CODE** *to read as follows*: See Indiana Electrical Code.

Delete the text in the definition of **FACILITY** *and insert to read as follows:* **FACILITY** means all or any portion of Class I structures, site improvements, elements, and pedestrian or vehicular routes located on a site, where the Class I structure is located.

This page intentionally left blank